Each

Dart Aerospace Ltd. Thursday, 12/20/2007 3:16:06 PM Date Kim Johnston User **Process Sheet** : OUTER FWD SADDLE **Drawing Name** Customer : CU-DAR001 Dart Helicopters Services Job Number : 36459 : 11076 **Estimate Number** : D5951 Part Number P.O. Number - D5951 REV.B : 12/20/2007 **Drawing Number** This Issue S.O. No. : : N/A Prsht Rev. : NC Project Number : 11 : MACHINED PARTS **Drawing Revision** First Issue Type : NIA ·: 35033 Material Previous Run : 1/12/2008 10 Um: **Due Date** Written By Checked & Approved By 05-11-29 JLM Comment : Est Rev: E Re-Format Est Rev:E Re-Format 05-11-29 JLM **Additional Product** Job Number: to they Machine Or Operation: Description: Seq. #: 1.0 D6101013 Saddle billet 11 1813 15 Page Comment: Qty.: 1.0000 Each(s)/Unit Total: 10.0000 Each(s) \* Could not update D6101-013 (7075-T7351) in en Size 2.50" x 10.10" X 8.25" (Grain along 10.10") P WIGHT AS 2.0 Chi thing Comment: HAAS CNC VERTICAL MACHINING #3 1-Machine as per folio D5951, Ensure Batch Number is entered 2-Machine Keyway 3-Deburr & Tumble QC1 INSPECT ALL DIM TO DIM SHEET mar (43.3.0

Comment: INSPECT ALL DIM TO DIM SHEET

4.0 QC8 推出的

SECOND CHECK

Comment: SECOND CHECK

5.0 HAND FINISHING1




HAND FINISHING RESOURCE #1




10

Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1





## **Dart Aerospace Ltd**

<b>W</b> /O:		WORK ORDER CHANGE	S				Approval QC Inspector
DATE STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			ļ				
Part No	):	PAR #: Fault Category:	NCR: Ye	s No DQ	A: <u>/</u>		8/01/29

QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_

NCR:		V	ORK OR	DER NON-CONFORMANC	E (NCR)							
		Description of NC		Corrective Action Section B		Verification	Annroyal	Annroisel				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector				
							:					
				,								
,												

NOTE: Date & initial all entries

Thursday, 12/20/2007 3:16:06 PM Date: Kim Johnston User: **Process Sheet** Drawing Name: OUTER FWD SADDLE Customer: CU-DAR001 Dart Helicopters Services Job Number: 36459 Part Number: D5951 Job Number: Description: Seq. #: Machine Or Operation: POWDER COATING POWDER COATING 6.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONV 7.0 POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 PACKAGING 1 8.0 Comment: PACKAGING RESOURCE #1 Identify and Stock 189,30 Location:\_\_ FINAL INSPECTION/W/O RELEASE 9.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE U 28.01.29 Job Completion

Dart Ae	rospace	Ltd								
<b>W</b> /O:		,	WC	ORK ORDER C	HANGES	-			·····	
DATE	STEP	PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
										<b>4</b> .
									·	
Part No	):	PAR #:	Fault Cate	gory:	NC	R: Yes I	No DQA	·:	Date:	· .
						QA: N/	C Closed	:	_ Date: _	
NCR:		,	WORK ORDI	ER NON-CONF	ORMANCE	(NCR	)		····	
		Description of NC		Corrective Action	Section B		Verifica	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Desc Chief Eng		Sign & Date	Sectio		Chief Eng	QC Inspector
						·				

		Description of NO		Corrective Action Section B	<u></u>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector	
							·		
								- '	
								77.40	

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	36459
Description: Outer Fwd Saddle	9	Part Number:	D5951
Inspection Dwg: D5951	Rev: B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim   Min   Max   Go/No Go   Gauge   1   2   3   4   By     A				Re	corded Act	ual Dimensi	ons		
B	im	Min	Max	1	2	3	4	Ву	Date
C 5.245 5.255	A	0.437	0.444	 144	441	441	141		
D 6.995 7.005 7.005 7.000 7.000 7.000 7.000 E 5.745 5.755 5.755 5.753 5.750 5.750 5.750 5.750 F 4.745 4.755 7.750		1.745	1.755	1.700	1.750	1.750	1.750		
D 6.995 7.005 7.006 7.000 7.000 7.000 7.000 E 5.745 5.755 5.755 5.755 5.750 5.750 5.750 5.750 5.750 5.750 F 4.745 4.755 7.750	c	5.245	5.255	5.210	5.250	5,250	5250		·····
E 5.745 5.755 5.755 5.750 5.750 5.750 F 4.745 4.755 4.750 4.750 4.750 4.750 4.750 4.750 4.750 4.750 6.	D	6.995	7.005	7.000	7.000		7.800		
F 4.745 4.755	E	5.745	5.755	5.752	5.750	5.750	5.750		
G 0.315 0.322	F	4.745	4.755	4.750	4,750	4.750	4.700		
3.048   3.058   3.054   3.054   3.054   3.057   3.056     J   4.575   4.585   4.580   4.580   4.580   4.580     K   0.312   0.319   3.19   3.19   3.19     L   0.495   0.505   5.500   5.500   5.01     M   0.490   0.510   5.70   5.70   5.00     N   1.615   1.635   1.635   1.630   1.630   1.630     O   7.990   8.010   7.997   7.997   8.001     P   2.240   2.260   2.242   2.250   2.250   2.250     Q   0.307   0.312   3.70   3.70   3.70     R   0.760   0.765   7.60   7.60   7.60     T   1.375   1.395   1.388   1.385   1.387   1.385     U   2.000   2.020   2.001   2.002   2.002   2.003     W   X   Y	G	0.315	0.322	.319	.319	.319			
3.048   3.058   3.054   3.054   3.054   3.057   3.056     J   4.575   4.585   4.580   4.580   4.580   4.580     K   0.312   0.319   3.19   3.19   3.19     L   0.495   0.505   5.00   5.00   5.00     M   0.490   0.510   5.70   5.70   5.00     N   1.615   1.635   1.635   1.630   1.630   1.630     O   7.990   8.010   7.997   7.997   8.001     P   2.240   2.260   2.242   2.250   2.250   2.250     Q   0.307   0.312   3.70   3.70   3.70     R   0.760   0.765   7.60   7.60   7.60     T   1.375   1.395   1.388   1.385   1.387   1.385     U   2.000   2.020   2.001   2.001   2.003   2.003     W   X   Y   Z     AA   AB   AG   AF     AG   AF   AG	Н	1.522	1.532	1.526	1.526	1.525	1.525		
J   4.575   4.585	T	3.048	3.058	3.054	3.054	3,054			
K   0.312   0.319   .119   .3/5   .3/7   .3/5   .3/9   .10495   0.505   .500   .500   .507   .507   .507   .507   .507   .507   .500   .507   .500   .507   .500   .507   .500   .507   .500   .507   .500   .507   .500   .507   .500   .507   .500   .507   .500	J	4.575	4.585		4.530	4.580			
M 0.490 0.510	K	0.312	0.319	.319					
M 0.490 0.510	L	0.495	0.505	.500	500	,501	,501		
N 1.615 1.635	М	0.490	0.510	.510	.510	.507			
P 2.240 2.260	N	1.615	1.635	1.630	1630		1630		
P 2.240 2.260	0	7.990	8.010		7.994		8,001		
R 0.760 0.765 . 760 . 760 . 760 . 760 S 0.490 0.510	Р	2.240	2.260	2.242	2.250	2-250	2200		
R 0.760 0.765 . 760 . 760 . 760 . 760 S 0.490 0.510	Q	0.307	0.312	 3/0	,3/0	,3/0	1310		
S 0.490 0.510	R	0.760	0.765		.760	.760	.760		
T 1.375 1.395	s	0.490	0.510	 .490	499	500	067,		
U 2.000 2.020	T	1.375	1.395	1.388	1.385	1.387	1.388		
W       X         X       Y         Y       Y         AA       Y         AB       Y         AB       Y         AB       Y         AC       Y         AD       Y         AE       Y         AF       Y         AG       Y	U	2.000	2.020	2.002	2-002		2.003		
X Y Y Z AA AB AB AC AD AE AF AG	V								
Y					·				
Z	X								
AA							<u> </u>		
AB	Z								
AC	\A				L				
AD	λB								
AD	C								
AF AG									
AG .	λE								
AG .	۱F								
AH									
All	\H								

<b>~</b>		$ \sim$ $\sim$ $\sim$ $\sim$	
Measured by:	Audited by	-m	
Date: 08/01/23	Date:	08/01/25	

Rev	Date	Change	Revised by	Approved
Α	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
С	06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC 1,A	
D	07.06.15	Dimension G revised	KJ/JLM 🛠	\(\int 1/1

DART AEROSPACE LTD	Work Order:	36459
Description: Outer Fwd Saddle	Part Number:	D5951
Inspection Dwg: D5951 Rev: B		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing and record below:

			ignied on map	Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	51	62	7 3	84	Ву	Date
Α	0.437	0.444		.446	.440	.440	.440		
В	1.745	1.755		1.750	1.750	1-750	1-750		
С	5.245	5.255		5-250	5.050	5.250	5.250		
D	6.995	7.005		7000	7-000	7.000	7-000		
Е	5.745	5.755		5,750	5.750	-5,750	5,750		
F	4.745	4.755		ゲフトロ	4.750	4.750	4.750		
G	0.315	0.322		-319	.319	-319	.319		
Н	1.522	1.532		1525	1.525	1.525	1.525		
I	3.048	3.058		3.000	3-050	3050	3,050		
J	4.575	4.585	71.10	4530	4.880	4.580	4.500		
K	0.312	0.319		.319	.319	-319	319		
L	0.495	0.505		50	.05	,500	500		
М	0.490	0.510		507	-507	.507	.507		
N	1.615	1.635		1,625	1620	1.625	1.620		
0	7.990	8.010		8,000	106.8	8.000	8.000		
Р	2.240	2.260		2250	2.250	2.250	2,258		
Q	0.307	0.312		.311	. 311	.311	-311		
R	0.760	0.765		-764	· 764	.764	.764		
S	0.490	0.510		.503	. 503	.503	.503		
Т	1.375	1.395		1.38	1.385	1.786	1.386		
U	2.000	2.020		2,000	2-000	7.005	7.005		
V									
W									
X									
Y									
Z									
AA									
AB									
AC						<u> </u>			
AD		-	·	1	1				
AE									
AF									
AG				1	<u> </u>				
AH									
	Acc	ept/Reje	ct						

<b>a</b>		
Measured by:	Audited by	gr.
Date: 08/21/23	Date:	08/01/25

Rev	Date	Change	Revised by	Approved
Α	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
С	06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC 1,A	
D	07.06.15	Dimension G revised	KJ/JLM 🛠	\(\mathbb{I}\)
			·	/ /

DART AEROSPACE LTD		Work Order:	36459	
Description: Outer Fwd Saddle	)	Part Number:	D5951	
Inspection Dwg: D5951	Rev: B		Page 1 of 1	


Inspect dimensions highlighted on inspection sheet drawing and record below:


		Recorded Actual Dimensions							
Dim	Min	Max	Go/No Go Gauge	<sup>1</sup> a	2 10	3	4	Ву	Date
Α	0.437	0.444		·HHE	1446				
В	1.745	1.755		1-750	1.756				
С	5.245	5.255		5.250	5.250				
D	6.995	7.005		7000	7-000				
Ε	5.745	5.755		5-750	5.750				
F	4.745	4.755		4.750	4-750				-
G	0.315	0.322		.318	.318				
Н	1.522	1.532		1.527	1.527				
ı	3.048	3.058		3.053	3.453				
J	4.575	4.585		4.580	4.580				
K	0.312	0.319		.317	-719				
L	0.495	0.505		.500	- 80-0				
М	0.490	0.510		.505	-505				
N	1.615	1.635		1.625	1-625				
0.	7.990	8.010		8003	8.003				
Р	2.240	2.260		2.250	7-250				
Q	0.307	0.312	-	.311	.311				
R	0.760	0.765		.764	-764				
S	0.490	0.510		1502	,502				
Т	1.375	1.395		1.386	1.386				
U	2.000	2.020		7005	2-605				
V									
W									
Х			_						
Υ									
Z									
AA									
AB									
AC									
AD						-			
AE	-								
AF	70								
AG							***************************************		
AH	-								
	Acc	ept/Reje	ct						

Measured by:	36	Audited by	ONL.
Date:	0401.75	Date:	08/01/25

Rev	Date	Change	Revised by	Approved
Α	99.04.19	New Issue	RF	
В	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686	KJ/RF	
С	06.12.06	Dimensions A,G,K,L,N,P revised	KJ/EC 1,A	A
D	07.06.15	Dimension G revised	KJ/JLM 🛠	\(\sqrt{1}\)







COPYRIGHT © 1997 BY DART AEROSPACE LTD

4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

5) BREAK ALL SHARP EDGES 0.010 TO 0.020

ISOMETRIC VIEW

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.